



NOTE: Waterproof: IEC IP66



PCB Layout(Pattern side)

Circuit Diagram

PART NO	H	PART NO	H
A	4.3	O	11
B	4.5	P	11.5
C	5	Q	12
D	5.5	R	12.5
E	6	S	13
F	6.5	T	13.5
G	7	U	14
H	7.5	V	15
I	8	W	16
J	8.5	X	17
K	9	Y	18
L	9.5	Z	19
M	10		15.5
N	10.5		16.5

NO.2	
PART NO	vigor
4	250±30
5	350±50

NO.3	
PART NO	MATERIAL/QTY
S	SUS/1PC
C	CS210/1PC
D	SUS/2PCS
F	CS210/2PCS

NO.4-NO.5	
PART NO	NOTE
01~99	SERIAL NUMBER

ITEM	PART NAME	TER'NO.	QTY.	MATERIAL	FINISHING	REMARK
⑥	Waterproof Silicone	---	1	Silica gel	---	---
⑤	Terminal	---	4	Brass(0.3t)	Plating silver	---
④	Contact	---	1	F.Ag/CS210	Black	---
③	Base	---	1	Nylon	Black	---
②	Cover	---	1	Nylon	---	---
①	Keystroke	---	1	Nylon	Black	---

APPROVALS		DATE	
DRAWN	J.X.Zhang	DATE	2013/7/17

CHECKED		TITLE:	
APPROVALS		TACT SWITCHS	
TOLERANCES ARE		PART NO. K2-1839DP-□□□W-□□	
30~12.1	±0.30	ANGLE	SCALE: 1:1
10~30	±0.20	UNIT: mm	PROJ: □
5~10	±0.15	DRAWING NO.	SHEET 1 OF 1
~5	±0.10		

ECN NO.	REV.	DATE.	DESCRIPTION.	CHANGE.	CHECK.	APPRO.
	A		NEW			



OKHRO ELECTRONICS CO., LTD